

EEG-84



**EEG OPERATIONAL RADIATION SURVEILLANCE
OF THE WIPP PROJECT DURING 2001**

Donald H. Gray
Sally C. Ballard
James K. Channell

Environmental Evaluation Group
New Mexico

December 2002

EEG-84
DOE/AL58309-84

EEG OPERATIONAL RADIATION SURVEILLANCE
OF THE WIPP PROJECT DURING 2001

Donald H. Gray
Sally C. Ballard
James K. Channell

Environmental Evaluation Group
7007 Wyoming Boulevard NE, Suite F-2
Albuquerque, New Mexico 87109

and

505 North Main Street
Carlsbad, New Mexico 88220

December 2002

FOREWORD

The purpose of the New Mexico Environmental Evaluation Group (EEG) is to conduct an independent technical evaluation of the Waste Isolation Pilot Plant (WIPP) Project to ensure the protection of the public health and safety and the environment of New Mexico. The WIPP Project, located in southeastern New Mexico, became operational in March 1999 for the disposal of transuranic (TRU) radioactive wastes generated by the national defense programs. The EEG was established in 1978 with funds provided by the U.S. Department of Energy (DOE) to the State of New Mexico. Public Law 100-456, the National Defense Authorization Act, Fiscal Year 1989, Section 1433, assigned the EEG to the New Mexico Institute of Mining and Technology and continued the original contract DE-AC04-79AL10752 through DOE contract DE-AC04-89AL58309. The National Defense Authorization Act for Fiscal Year 1994, Public Law 103-160, and the National Defense Authorization Act for Fiscal Year 2000, Public Law 106-65, continued the authorization.

EEG performs independent technical analyses on a variety of issues. Now that the WIPP is operational, these issues include facility modifications and waste characterization for future receipt and emplacement of remote-handled waste, generator site audits, contact-handled waste characterization issues, the suitability and safety of transportation systems, mining of new panels, analysis of new information as part of the five year recertification cycles as mandated by the WIPP Land Withdrawal Act. Review and comment is also provided on the annual Safety Analysis Report and Proposed Modifications to the Hazardous Waste Facility Permit. The EEG also conducts an independent radiation surveillance program which includes a radiochemical laboratory.



Matthew K. Silva
Director

EEG STAFF

Lawrence E. Allen, M.S., Geologic Engineer

George Anastas, CHP, PE, DEE, Health Physicist

Sally C. Ballard, B.S., Radiochemical Analyst

Radene Bradley, Secretary III

James K. Channell, Ph.D., CHP, Deputy Director

Patricia D. Fairchild, Secretary III

Donald H. Gray, M.A., Laboratory Manager

John Haschets, Assistant Environmental Technician

Linda P. Kennedy, M.L.S., Librarian

Lanny W. King, Environmental Technician

Thomas M. Klein, M.S., Environmental Scientist

Jill Shortencarier, Executive Assistant

Matthew K. Silva, Ph.D., Director

Susan Stokum, Administrative Secretary

Ben A. Walker, B.A., Quality Assurance Specialist

Scott B. Webb, Ph.D., Health Physicist

Judith F. Youngman, B.A., Administrative Officer

ACKNOWLEDGMENTS

The authors wish to thank Mr. George Anastas, Mr. Thomas Klein, Dr. Matthew Silva, Mr. Ben Walker and Dr. Scott Webb for their review and comment. Also thanks to Ms. Susan Stokum for her careful attention to detail during final word processing and Mr. Thomas Klein, Mr. Lanny King and Mr. John Haschets for their diligence in the collection of samples.

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	iii
EEG STAFF	iv
ACKNOWLEDGMENTS	v
LIST OF TABLES	viii
LIST OF FIGURES	viii
LIST OF APPENDICES.....	ix
ACRONYMS AND SYMBOLS	xi
EXECUTIVE SUMMARY	xiii
1.0 INTRODUCTION	1
2.0 PREOPERATIONAL BASELINE.....	2
3.0 OPERATIONAL MONITORING RESULTS	3
3.1 Air Effluent and Environmental Monitoring.....	3
3.2 TLD Data.....	7
4.0 DISCUSSION OF RESULTS	7
4.1 Comparison to the EEG Preoperational Baseline.....	7
4.2 Comparison to the Operational Results from Other Organizations	8
4.3 Comparison to the EPA Standard.....	9
5.0 CONCLUSIONS.....	11
REFERENCES	15
APPENDICES	17
LIST OF EEG REPORTS.....	55

LIST OF TABLES

	<u>Page</u>
Table 1. Mean EEG Preoperational Baseline	3
Table 2. Results of Specific Radionuclide Measurements from Samples Collected in 2001	4
Table 3. Comparison of Measurements to the Standards	10

LIST OF FIGURES

	<u>Page</u>
Figure 1. Baseline and 2001 Measurements in Effluent Air.....	12
Figure 2. Baseline and 2001 Measurements in Ambient Air.....	12
Figure 3. Baseline and 2001 Measurements in Drinking Water.....	13
Figure 4. Baseline and 2001 Measurements in Surface Water	13
Figure 5. Baseline and 2001 Measurements in Groundwater	14

LIST OF APPENDICES

	<u>Page</u>
APPENDIX A. AIR SAMPLE DATA	
Table A1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station A Samples During 2001	20
Table A2. ^{137}Cs and ^{90}Sr Measurements in Station A Samples During 2001	21
Table A3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station B Samples During 2001	22
Table A4. ^{137}Cs and ^{90}Sr Measurements in Station B Samples During 2001	23
Table A5. ^{241}Am Measurements in LVAS Samples During 2001	24
Table A6. $^{239/240}\text{Pu}$ Measurements in LVAS Samples During 2001	25
Table A7. ^{238}Pu Measurements in LVAS Samples During 2001	26
Table A8. ^{137}Cs Measurements in LVAS Samples During 2001	27
Table A9. ^{90}Sr Measurements in LVAS Samples During 2001	28
Figure A1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station A Samples During 2001	20
Figure A2. ^{137}Cs and ^{90}Sr Measurements in Station A Samples During 2001	21
Figure A3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station B Samples During 2001	22
Figure A4. ^{137}Cs and ^{90}Sr Measurements in Station B Samples During 2001	23
Figure A5. ^{241}Am Measurements in LVAS Samples During 2001	24
Figure A6. $^{239/240}\text{Pu}$ Measurements in LVAS Samples During 2001	25
Figure A7. ^{238}Pu Measurements in LVAS Samples During 2001	26
Figure A8. ^{137}Cs Measurements in LVAS Samples During 2001	27
Figure A9. ^{90}Sr Measurements in LVAS Samples During 2001	28
APPENDIX B. WATER SAMPLE DATA	
Table B1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Groundwater During 2001	30
Table B2. ^{137}Cs and ^{90}Sr Measurements in Groundwater During 2001	31
Table B3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Surface Water During 2001	32
Table B4. ^{137}Cs and ^{90}Sr Measurements in Surface Water During 2001	33
Table B5. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Drinking Water During 2001	34
Table B6. ^{137}Cs and ^{90}Sr Measurements in Drinking Water During 2001	35
Figure B1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Groundwater During 2001	30
Figure B2. ^{137}Cs and ^{90}Sr Measurements in Groundwater During 2001	31
Figure B3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Surface Water During 2001	32
Figure B4. ^{137}Cs and ^{90}Sr Measurements in Surface Water During 2001	33
Figure B5. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Drinking Water During 2001	34
Figure B6. ^{137}Cs and ^{90}Sr Measurements in Drinking Water During 2001	35
APPENDIX C. MATRIX BLANK DATA	
Table C1. Matrix Blank Results for the 2001 Sampling Period	39
APPENDIX D. TLD PROGRAM DESCRIPTION AND 2001 DATA	
Table D1. Average Dose by TLD in 2001	44
Figure D1. TLD Locations and Numbers	45

APPENDIX E. SAMPLE COLLECTION LOCATIONS.....	48
Figure E1. Groundwater Sampling Locations	49
Figure E2. Surface Water Sampling Locations.....	50
APPENDIX F. MDA, MDC, ACTION LEVEL	53
Table F1. Current Minimum Detectable Concentration, Minimum Detectable Activity, and Action Levels	53

ACRONYMS AND SYMBOLS

ACTL	Action Level
Am	Americium
ANOVA	Analysis of variance
Bq	Becquerel
CEDE	Committed-effective-dose equivalent
CEMRC	Carlsbad Environmental Monitoring and Research Center
CFR	Code of Federal Regulations
Cs	Cesium
DOE	U. S. Department of Energy
DQO	Data quality objective
EEG	Environmental Evaluation Group
EPA	U. S. Environmental Protection Agency
ICRP	International Commission on Radiological Protection
LLD	Lower limit of detection
LSC	Liquid scintillation counter
LVAS	Low volume air sampler
M	Mean
MDA	Minimum detectable activity
MOU	Memorandum of Understanding
mrem	Millirem
NCRP	National Council on Radiation Protection and Measurements
NESHAPS	National Emission Standards for Hazardous Air Pollutants
Pu	Plutonium
s	Sample standard deviation
Sr	Strontium
TLD	Thermoluminescent dosimeter
TRU	Transuranic
WHB	Waste Handling Building
WIPP	Waste Isolation Pilot Plant
WTS	Westinghouse TRU Solutions

EXECUTIVE SUMMARY

The Environmental Evaluation Group (EEG) has measured the levels of ^{241}Am , ^{238}Pu , $^{239/240}\text{Pu}$, ^{137}Cs , and ^{90}Sr in samples of air and water collected at and in the vicinity of the U. S. Department of Energy's (DOE) Waste Isolation Pilot Plant (WIPP) during 2001. The WIPP received the first shipment of waste in March 1999 and became operational at that time. The EEG has compared these levels to those measured in the preoperational phase, prior to receipt of waste, as well as to the results of other monitoring organizations and to the U. S. Environmental Protection Agency (EPA) dose standards established for the WIPP at 40 CFR 191, Subpart A, and, by an agreement between the DOE and the EPA, at 40 CFR 61, Subpart H.

Based on these analyses and applying a *t* test for significant differences for normally-distributed data (Taylor 1987), or analysis of variance (ANOVA) for non-normal data, the EEG concludes that:

1. Three measurements of radionuclides in the environment around WIPP during 2001 were different from the preoperational baseline levels. Only two of these – ^{241}Am in both the Loving and WIPP3 low volume air sampler (LVAS) samples, first quarter and second quarter, respectively – exceeded the minimum detectable activity (MDA). These measurements were carefully investigated, but no clearly assignable cause was discovered. No measurements of ^{241}Am in effluent air from the WIPP underground exceeded the action level, and converting the highest LVAS measured concentration to radiation dose yielded a committed dose of much less than 1% of the limit allowable under the EPA standard.
2. Comparison of the EEG's 2001 results with those of other monitoring organizations revealed two sets of measurements which did not agree. One set – ^{241}Am in surface water – was found to be in agreement with the corresponding EEG baseline. The other – ^{90}Sr in groundwater – was probably a result of ^{226}Ra interference in the EEG 2001 analysis. Methodologies are being reviewed to address this problem.

3. WIPP operations during 2001 did not result in measurable releases of radioactive materials to the environment or radiation doses to the public.

1.0 INTRODUCTION

The Waste Isolation Pilot Plant (WIPP) is an underground repository near Carlsbad in southeast New Mexico, owned and operated by the U. S. Department of Energy (DOE) for the purpose of safely disposing of waste materials generated by the nation's nuclear weapons production programs. These waste materials are contaminated with varying levels of transuranic (TRU) radionuclides, principally isotopes of plutonium and americium. Since 1978 the Environmental Evaluation Group (EEG) has been responsible for independent technical oversight of the DOE's activities at WIPP. Since 1985 this responsibility has included on-site and off-site monitoring of transuranic radionuclides and fission products in air, soil, and water. Prior to the opening of WIPP the purpose of these monitoring efforts was to establish a baseline for comparison with future measurements. The EEG's program for conducting radiation surveillance of the WIPP project has been fully described in Kenney et al. (1990), Kenney and Ballard (1990), Kenney (1991), Kenney (1992), Kenney (1994), Kenney et al. (1998), and Kenney et al. (1999). The radionuclides measured by the EEG in this program account for more than 98% of the potential public radiation dose from WIPP operations (DOE 1996). Brief descriptions of the EEG air and water sampling locations appear in Appendix E.

The first shipment of waste arrived at WIPP in late March 1999, and the EEG published its final preoperational report in October 1999, covering results of the surveillance program for 1996 through 1998 (Kenney et al. 1999). The EEG published its first operational monitoring report in September 2000. The present report is the EEG's third operational monitoring report and contains results obtained from sample collections and other activities during calendar year 2001. This report also compares these results to:

1. The preoperational baseline measured by the EEG and reported in the above-referenced preoperational reports.
2. The results of other organizations engaged in environmental monitoring at and around the WIPP site, where direct comparisons can be made.

3. The U.S. Environmental Protection Agency's (EPA) standards governing the operation of WIPP; namely, 40 CFR 191 Subpart A and 40 CFR 61 Subpart H, adopted by agreement between DOE and EPA.

The procedures established for the preoperational phase and the overall goals of the program are unchanged, unless noted herein. The terminology applied to uncertainties in this report has been modified somewhat from previous reports to more closely comply with common practice.

2.0 PREOPERATIONAL BASELINE

A summary of the concentrations of ^{241}Am , ^{238}Pu , $^{239/240}\text{Pu}$, ^{137}Cs , and ^{90}Sr measured by the EEG in air and water at and in the vicinity of the WIPP site for the period prior to receipt of waste appears in Table 1. For ^{90}Sr , the data represent samples collected during 1999 and 2000 (Gray et al, 2000); for all others, except for the 1996 and 1997 LVAS samples which were archived, they pertain to the six-year period prior to receipt of waste. The transuranic and ^{137}Cs data in Table 1 are the means and uncertainties of the results found in the appendices of Kenney et al. (EEG-67, 1998) and Kenney et al. (EEG-73, 1999). The ^{90}Sr data are the corresponding values from Gray et al. (EEG-79, 2000) and Gray and Ballard (EEG-81, 2001). The uncertainties in Table 1 represent two standard deviations (2s), or the approximately 95% confidence interval of the results. This was incorrectly described in the first operational report (EEG-79) as the 95% confidence level of the means. The result for ^{90}Sr in Table 1 is different from that appearing in EEG-81. The EEG-81 value incorrectly included the first quarter result from 1999, which resulted from a sample that failed to meet the data quality objective (DQO) for minimum sample size, and should have been excluded from the dataset. The units are nano-Becquerels (10^{-9} Becquerels)-per-cubic-meter (nBq/m^3) for air and milli-Becquerels (10^{-3} Becquerels)-per-liter (mBq/L) for water. The numbers of measurements in each data set are given in parentheses. For water samples, if the calculated results were less than $0.1 \text{ mBq}/\text{L}$, the results were rounded to zero. Of 823 measurements, 19 were found to be statistical outliers by the Grubbs test (Taylor 1987). These were disqualified only after investigation into possible causes.

Table 1. Mean EEG Preoperational Baseline

Radionuclide	Effluent Air M ± 2s (nBq/m ³)	Ambient Air M ± 2s (nBq/m ³)	Drinking Water M ± 2s (mBq/L)	Surface Water M ± 2s (mBq/L)	Ground Water M ± 2s (mBq/L)
²⁴¹ Am	25 ± 177 (n = 18)	27 ± 109 (n = 79)	-0.1 ± 1.4 (n = 17)	-0.3 ± 2.0 (n = 30)	0.3 ± 2.4 (n = 32)
^{239/240} Pu	25 ± 200 (n = 20)	23 ± 56 (n = 88)	0 ± 0.8 (n = 17)	-0.2 ± 0.7 (n = 34)	0.1 ± 1.4 (n = 36)
²³⁸ Pu	13 ± 96 (n = 18)	6 ± 62 (n = 90)	0.1 ± 0.8 (n = 19)	0 ± 1.0 (n = 31)	0.1 ± 1.5 (n = 34)
¹³⁷ Cs	880 ± 7800 (n = 23)	60 ± 2460 (n = 104)	20 ± 50 (n = 5)	22 ± 130 (n = 8)	-30 ± 110 (n = 10)
⁹⁰ Sr	1040 ± 5650 (n = 15)	1260 ± 2290 (n = 44)	8.6 ± 29.4 (n = 8)	9.5 ± 40.1 (n = 11)	7.3 ± 27.5 (n = 13)

3.0 OPERATIONAL MONITORING RESULTS

3.1 Air Effluent and Environmental Monitoring

The results of air effluent and environmental monitoring during 2001 are summarized in Table 2. The values in Table 2 are the means and two standard deviations (2s) of the results for the data in Appendices A and B of this report. The “expanded uncertainty” used in the Appendices is the combined standard uncertainty of the measurements multiplied by a coverage factor (k) to express an interval about the measured value within which the “true” value may be expected to lie at some specified level of confidence – in this case, approximately 95%. The combined standard uncertainty expresses the standard deviation of the result and includes both random and systematic sources of uncertainty. Further discussion is found in the ISO Guide to the Expression of Uncertainty in Measurement (ISO 1992).

Table 2. Results of Specific Radionuclide Measurements from Samples Collected in 2001

Radionuclide	Effluent Air M ± 2s Station A Station B (nBq/m ³)	Ambient Air M ± 2s (nBq/m ³)	Drinking Water M ± 2s (mBq/L)	Surface Water M ± 2s (mBq/L)	Ground Water M ± 2s (mBq/L)
²⁴¹ Am	23 ± 202 52 ± 162	19 ± 100	0.30 ± 0.93	-0.28 ± 0.18	-0.03 ± 1.21
^{239/240} Pu	-7.4 ± 70.5 -11 ± 26	16 ± 27	-0.05 ± 0.21	-0.04 ± 0.28	-0.03 ± 0.43
²³⁸ Pu	-3.3 ± 155 -9.8 ± 29.3	12 ± 33	0.37 ± 0.45	-0.30 ± 0.39	0.31 ± 1.15
¹³⁷ Cs	610 ± 9300 -360 ± 7380	880 ± 1900	9.4 ± 58	0.88 ± 25	9.2 ± 55
⁹⁰ Sr	1030 ± 2710 1130 ± 5580	1120 ± 1140	1.8 ± 25	14.6 ± 9.4	25 ± 30

For the 2001 sampling year, of a total of 233 possible measurements, 20 were rejected as a result of instrument or processing problems in the lab, and 5 additional were rejected due to failure of the sample to meet a sampling data quality objective. These 25 rejected analyses are indicated in the Appendix A and B tables as “NA”.

A total of six measurements during 2001 exceeded the MDA: two for ²⁴¹Am and four for ^{239/240}Pu. All were in LVAS samples. The ²⁴¹Am measurements were obvious outliers and are discussed below. The ^{239/240}Pu measurements were not outliers, nor did they exceed the EEG action level; therefore, they are considered to be members of the baseline population.

The analysis results from the 2001 sampling year were evaluated against three criteria:

1. Grubbs' Outlier Test (Taylor 1987) to identify greater than expected within-group variances.

2. Action Level (ACTL) (Rodgers & Kenney 1997), defined in previous reports as the upper-95% confidence level of the baseline measurements, to identify measurements which appear to exceed the baseline.
3. The *t* test (Taylor 1987) to determine whether the means of the 2001 measurements differ significantly from the baseline means for normally-distributed data; for non-normal data, an analysis of variance (ANOVA) test was applied.

The outlier test is a preliminary test applied to the data before application of the ACTL, *t*, and ANOVA tests. Data failing the outlier test are rejected only if a clearly definable analytical or sampling problem can be identified. Subsequently, the ACTL, *t*, and ANOVA tests are applied to all remaining data.

Four transuranic (TRU) radionuclide measurements were found to be outliers but could not be rejected. Two of these, both ²³⁸Pu determinations, did not exceed either the action level or the MDA and were deemed to be members of the baseline population. The remaining two, ²⁴¹Am in the Loving LVAS from the first quarter and ²⁴¹Am in the WIPP3 LVAS from the second quarter, exceeded both the action level and the MDA and were investigated, but no assignable cause was discovered in either case. A quality control (QC) sampler, which is an LVAS sampler that can be moved and co-located with off-site samplers to provide a field duplicate, was running alongside the WIPP3 sampler during the second quarter. Analysis of the WIPP3 QC sample yielded results which did not exceed either the MDA or the action level.

The calculated ²⁴¹Am concentrations (184 and 168 nBq/m³) were then evaluated against the 25 mrem annual dose limit imposed by 40 CFR 191.03(b), using estimates from International Commission on Radiological Protection Report 23 (ICRP 1975) for "reference man" and dose factors in Federal Guidance Report 11 (Eckerman 1988). For continuous exposure to these concentrations the derived committed-effective-dose equivalent (CEDE) would be about 0.08%, or less, of the standard, therefore the consequences for public health are considered to be insignificant.

The ^{241}Am concentrations in the above samples appear to be statistically real values. However, the contamination is almost certainly not from normal WIPP operations for several reasons:

1. No WIPP effluent air measurement exceeded an ACTL.
2. No WIPP waste shipments should have gone through Loving before May 2001, when the first Savannah River site shipment arrived.
3. The sample obtained from the QC sampler, co-located with WIPP3, did not show elevated ^{241}Am .
4. Inspection of the ^{241}Am LVAS tables in the Appendices of EEG-67 and EEG-73, covering the pre-operational phase, revealed results which are approximately equal to or higher than the elevated results observed in 2001.

As discussed in EEG-81, the extremely low ^{241}Am activity found in the Loving and WIPP3 air samples could have resulted from trapping a single sub-micron size particle, called a “hot” particle, on the filter. Elevated ^{241}Am was also found in the Loving sample from the 3rd quarter of 2000, but even the highest levels observed to date represent only about 0.1% of the 25-mrem regulatory limit and are of no concern in terms of public health. It could be interesting to do a future scientific study aimed at identifying possible sources; however, there is no public health reason for such an investigation unless activity levels are observed that are at least two orders of magnitude higher.

One ^{90}Sr measurement (WQSP-4) exceeded the ACTL but did not exceed the MDA, and is not considered to be significant.

Appendix C contains the results of the matrix blanks analyzed with the samples from the year 2001 sample collection period. All sample measurements in this report were blank-corrected, meaning the average result of the blank analyses from Table C1 was subtracted from the corresponding sample result.

3.2 TLD Data

The EEG deploys environmental thermoluminescent dosimeters (TLDs) at selected points along the WIPP exclusive use boundary for the purpose of providing a direct assessment of WIPP's compliance with the 40 CFR 191 Subpart A dose standard (Kenney et al. 1999). Quarterly external dose measurements as determined by TLDs during 2001 are reported in Appendix D, including a "control" TLD which was kept in the EEG office in Carlsbad and was unaffected by WIPP operations. The average quarterly dose (excluding the control) during 2001 was $20.3 \text{ mrem/quarter} \pm 4.5 \text{ mrem/quarter}$ (2σ) and the control TLD dose was $19.6 \pm 5.8 \text{ mrem/quarter}$. Doses for 1998 (the last preoperational year) averaged 18.3 ± 5.3 (sample) and 17.8 ± 7.5 (control) mrem/quarter. Therefore, the observed 2001 doses are not statistically different from the preoperational baseline doses in EEG-73. Based on measurements of control TLDs for the year 2001, the quarterly lower limit of detection (LLD) was 9.8 mrem/quarter. Thus, a quarterly dose from WIPP operations that exceeded about 10 mrem should be detectable. None of the TLDs in 2001 approached the LLD (which would have been a gross value of 29.3 mrem/quarter).

A more detailed discussion of the TLD program and statistical treatment of the data is provided in Appendix D.

4.0 DISCUSSION OF RESULTS

4.1 Comparison to the EEG Preoperational Baseline

Tables 1 and 2 are summarized and compared graphically in Figures 1 through 5 on the following pages. The bars in Figures 1 through 5 represent the upper and lower 95% limits and the horizontal dash inside each bar is the mean value. Concentrations of ^{137}Cs and ^{90}Sr should be read from the right-hand Y scale.

Application of the 2-sample *t* and ANOVA tests via Minitab™ statistical software^a revealed that two of the measurements in Table 2 differed from the preoperational baseline at the 95% confidence level. The measurement of ¹³⁷Cs in ambient air exhibited an elevated mean with respect to the baseline. However, as tabulated in Table 3 the higher amount does not present a health concern and, in fact, is somewhat reduced from the value for 2000. Also, ⁹⁰Sr in groundwater was slightly elevated with respect to the baseline. However, ⁹⁰Sr is not yet a significant part of the WIPP underground inventory, and, even if it were, at present there is no known hydrologic connection between the repository and the groundwater sampling wells.

4.2 Comparison to the Operational Results from Other Organizations

Radiological surveillance monitoring of WIPP is also being conducted by the Westinghouse TRU Solutions (WTS) and the Carlsbad Environmental Monitoring and Research Center (CEMRC). Where direct comparisons are possible, it is useful to compare monitoring data among the three organizations. Four measurements of ²³⁹Pu in ambient air were reported by CEMRC for 2001 (CEMRC 2002). An ANOVA test comparing the mean (± 2 standard deviations) of the CEMRC measurements (5.6 ± 2.6 nBq/m³) with the EEG 2001 mean value (16 ± 27 nBq/m³) for ²³⁹Pu in ambient air indicated no statistically significant difference at the 95% confidence level ($p = 0.128$).

Comparison with operational data from the WTS monitoring program for 2001 yielded two measurements which appeared to be different at 95% confidence: ²⁴¹Am in surface water ($P = 0.002$) and ⁹⁰Sr in groundwater ($P = 0.016$). A further ANOVA was performed in Minitab™ on each dataset with inclusion of the corresponding (and much larger) EEG baseline dataset to determine whether the apparently divergent results could be judged to be part of the baseline population. Inclusion of the baseline revealed that for ²⁴¹Am in surface water the three datasets (baseline, EEG 2001, and WTS 2001) were not different at 95% confidence ($P = 0.301$). However, when the same test was applied to the results for ⁹⁰Sr in groundwater, the differences still appeared to be significant ($P = 0.037$), and further investigation was conducted.

^a Minitab is a registered trademark of Minitab, Inc., www.minitab.com.

Inspection of the data and pair-wise comparisons via Minitab™ showed agreement between the WTS value for 2001 and the EEG baseline, but that both values were significantly lower than the EEG value for 2001. One of the archived 2001 ⁹⁰Sr samples was re-assayed by liquid scintillation spectrometry. The liquid scintillation counter (LSC) was acquired by the EEG during 2001 and has the capability of doing simultaneous alpha and beta spectrometry. The re-assayed sample showed a measurable amount of an alpha emitter, probably ²²⁶Ra, known to be naturally present in groundwaters and which was likely incompletely removed during the radiochemical analysis. Until recently, the EEG measured ⁹⁰Sr by gas-flow proportional counting, which is very sensitive but is subject to interference from alpha-particle emitters.

Based on these investigations, the EEG concludes that the apparently elevated ⁹⁰Sr results in groundwater were likely due to ²²⁶Ra interference. Procedures are being developed and tested for carrying out all future ⁹⁰Sr assays by liquid scintillation spectrometry, while maintaining gas-flow proportional counting as a back-up methodology.

All other direct comparisons between the EEG and WTS results in air and water samples revealed no statistically significant differences.

4.3 Comparison to the EPA Standard

The dose standards applied by the U. S. Environmental Protection Agency to WIPP operations are found both in 40 CFR 191.03(b) and, following a memorandum of understanding (MOU) between DOE and EPA (EPA&DOE 1995), in 40 CFR Part 61.92, the National Emission Standards for Hazardous Air Pollutants, or NESHAPS. Respectively, these are annual committed-effective-dose-equivalents to any member of the public of 25 mrem and 10 mrem. The NESHAPS standard applies to effluent airborne releases only. Comparisons to EPA standards in this and future operational reports will be relative to NESHAPS for airborne facility effluent measurements, and relative to 40 CFR 191.03(b) for all other measurements having implications for WIPP's compliance with the pertinent regulations.

Comparisons of concentration measurements to a dose standard require appropriate conversions. In the preoperational reports, the EEG applied the methods found in NCRP 123 (NCRP 1996) to measurements of facility effluent air, sampled at Station A (Kenney et al. 1999). The EEG’s analytical methodology provided sufficient sensitivity to detect releases which could potentially result in doses to the highest-risk individual of a few percent of the standard. EPA, in its guidance for the application of 40 CFR 191, Subpart A (EPA 1997), recommends the use of CAP88PC (Parks 1992) for estimating doses both to populations and to the individual at highest risk, based on effluent measurements made at a point of release. The EEG will follow the EPA’s recommendation for this and future reports.

For measurements made at a receptor location, such as for ambient air samples versus a point-of-release location, a simpler dose-conversion factor can be used in some cases. For measurements of ambient air (LVAS) samples, the EEG uses the dose-conversion factors in Federal Guidance Report No. 11 (Eckerman 1988) and assumes intakes of 8,400 m³/year of air, based on the ICRP No. 23 “reference man” (ICRP 1975).

Using the upper 95% limit values for the means (Mean + 2s) from the tables in Appendices A and B as input values, the dose estimates obtained from these conversions were then expressed as percentages of the appropriate standard and the results appear in Table 3, with the total of the individual isotopic dose contributions in the last row.

Table 3. Comparison of Measurements to the Standards

Applicable Standard→	NESHAPS (10 mrem)		40 CFR 191 (25 mrem)
Radionuclide	Effluent Air		Ambient Air
	Station A	Station B	
²⁴¹ Am	<0.01%	<0.01%	0.05%
^{239/240} Pu	<0.01%	<0.01%	0.02%
²³⁸ Pu	<0.01%	<0.01%	~0.01%
¹³⁷ Cs	<0.01%	<0.01%	<0.01%
⁹⁰ Sr	<0.01%	<0.01%	<0.01%
Total	<0.01%	<0.01%	0.08%

5.0 CONCLUSIONS

The results of the EEG's radiation surveillance of the WIPP project during 2001 show that operations at the site during 2001 did not result in detectable releases of radionuclides to the environment. Except as noted above, where direct comparisons can be made, the EEG results are similar to the results of other organizations engaged in radiation surveillance at WIPP. The sensitivity of the EEG's methods is such that releases from the air exhaust shaft, resulting in a dose to any member of the public of less than 0.01% of the standard, would have been detected.

Finally, an evaluation of the results of environmental sampling at various locations around the site relative to the applicable EPA radiation dose standards shows that the estimated dose to an individual residing year-round at a sampled location during 2001 is not different from the baseline dose before WIPP became operational. From this, the EEG concludes that WIPP operations during 2001 did not result in measurable doses to the public.




Figure 1. Baseline and 2001 Measurements in Effluent Air




Figure 2. Baseline and 2001 Measurements in Ambient Air




Figure 3. Baseline and 2001 Measurements in Drinking Water




Figure 4. Baseline and 2001 Measurements in Surface Water




Figure 5. Baseline and 2001 Measurement of Groundwater

REFERENCES

40 CFR Part 61. 1990. National emission standards for hazardous air pollutants. Title 40, Protection of environment; Chapter I, Environmental Protection Agency; Code of Federal Regulations. Washington (DC): National Archives and Records Administration.

40 CFR Part 191. 1990. Environmental radiation protection standards for management and disposal of spent nuclear fuel, high-level and transuranic radioactive wastes. Title 40, Protection of environment; Chapter I, Environmental Protection Agency; Code of Federal Regulations. Washington (DC): National Archives and Records Administration.

[CEMRC] Carlsbad Environmental Monitoring and Research Center. 2002. 2001 Report, Carlsbad Environmental Monitoring & Research Center. Carlsbad (NM): New Mexico State University.

Eckerman, Keith F; Wolbarst, Anthony B; Richardson, Allan CB. 1988. Limiting values of radionuclide intake and air concentration and dose conversion factors for inhalation, submersion, and ingestion. Washington (DC): US Environmental Protection Agency, Office of Radiation Programs; (Federal Guidance Report No. 11). EPA 520/1-88-020.

Gray, Donald H; Kenney, Jim W; Ballard, Sally C. 2000. Operational radiation surveillance of the WIPP project by EEG during 1999. NM: Environmental Evaluation Group. EEG-79.

Gray, Donald H; Ballard, Sally C. 2001. EEG operational radiation surveillance of the WIPP Project during 2000. NM: Environmental Evaluation Group. EEG-81.

[ICRP] International Commission on Radiological Protection. 1975. Report of the Task Group on Reference Man. New York: Pergamon; (ICRP Publication: 23).

[ISO] International Organization for Standardization, Technical Advisory Group on Metrology (TAG 4), Working Group 3 (WG 3). 1992 Jun. Guide to the expression of uncertainty in measurement. Switzerland: ISO. ISO/TAG 4/WG 3.

Kenney, Jim; Rodgers, John; Chapman, Jenny; Shenk, Kevin. 1990. Preoperational radiation surveillance of the WIPP project by EEG, 1985-1988. NM: Environmental Evaluation Group. EEG-43.

Kenney, Jim W. 1991. Preoperational radiation surveillance of the WIPP project by EEG during 1990. NM: Environmental Evaluation Group. EEG-49.

Kenney, Jim W. 1992. Preoperational radiation surveillance of the WIPP project by EEG during 1991. NM: Environmental Evaluation Group. EEG-51.

Kenney, Jim W. 1994. Preoperational radiation surveillance of the WIPP project by EEG during 1992. NM: Environmental Evaluation Group. EEG-54.

Kenney, Jim W; Ballard, Sally C. 1990. Preoperational radiation surveillance of the WIPP project by EEG during 1989. NM: Environmental Evaluation Group. EEG-47.

Kenney, Jim W; Gray, Donald H; Ballard, Sally C. 1998. Preoperational radiation surveillance of the WIPP project by EEG during 1993 through 1995. NM: Environmental Evaluation Group. EEG-67.

Kenney, Jim W; Gray, Donald H.; Ballard, Sally C.; Chaturvedi, Lokesh. 1999. Preoperational radiation surveillance of the WIPP project by EEG from 1996-1998. NM: Environmental Evaluation Group. EEG-73.

[NCRP] National Council on Radiation Protection and Measurements. 1996. Screening models for releases of radionuclides to atmosphere, surface water, and ground. Bethesda (MD): NCRP; (NCRP Report: 123, 2 volumes).

Parks, Barry. 1992 Mar. User's guide for CAP88-PC, version 1.0. Las Vegas (NV): US Environmental Protection Agency, Office of Radiation Programs. EPA 402-B-92-001.

Rodgers, John C. 1998. Progress report on TLD data analysis. Consultant report to Jim W. Kenney, Environmental Evaluation Group, May 26, 1998.

Rodgers, John C; Kenney, Jim W. 1997 Feb. Issues in establishing an aerosol radiological baseline for the Waste Isolation Pilot Plant near Carlsbad, New Mexico. Health Physics 72:300-308.

Taylor, John K. 1987. Quality assurance of chemical measurements. Boca Raton (FL): Lewis Publishers.

[DOE] US Department of Energy, Carlsbad Area Office. 1996 Jun. Transuranic waste baseline inventory report. 3rd rev. Carlsbad: DOE. DOE/CAO-95-1121, Rev. 3.

[EPA&DOE] US Environmental Protection Agency, Office of Enforcement and Compliance Monitoring; US Department of Energy. 1995. [MOU online]. Memorandum of understanding between the US Environmental Protection Agency and the US Department of Energy concerning the Clean Air Act emission standards for radionuclides, 40 CFR Part 16 including Subparts H, I, Q, and T. Washington (DC): EPA. Available: <http://es.epa.gov/oeca/ore/aed/comp/bcomp/b25.html>. Accessed 1998 Feb 18.

[EPA] US Environmental Protection Agency, Office of Radiation and Indoor Air. 1997. Guidance for the implementation of EPA's standards for management and storage of transuranic waste (40 CFR Part 191, Subpart A) at the Waste Isolation Pilot Plant (WIPP). Washington (DC): EPA. EPA 402-R-97-001.

[WWIS] WIPP Waste Information System [online database]. 2001. Version 4.5. Carlsbad (NM): Waste Isolation Pilot Plant. Defender Software token, controlled access. Accessed 2002 Apr 22.

APPENDICES

(Note: “Expanded Uncertainty” in the following tables is defined in Chapter 6 of the ISO Guide to the Expression of Uncertainty in Measurement [ISO 1992])

APPENDIX A. AIR SAMPLE DATA

Table A1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station A Samples During 2001

SAMPLE DATE	SAMPLE VOLUME (m ³)	^{241}Am CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	$^{239/240}\text{Pu}$ CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	^{238}Pu CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
1ST 2001	6003	1.73E+02	2.12E+02	1.47E+01	6.68E+01	3.27E+01	7.83E+01
2ND 2001	6655	-2.76E+01	1.35E+02	-1.19E+01	5.94E+01	6.65E+01	9.08E+01
3RD 2001	6642	-1.22E+01	1.30E+02	2.29E+01	6.80E+01	1.58E-01	7.41E+01
4TH 2001	7268	-4.23E+01	1.31E+02	-5.54E+01	8.26E+01	-1.12E+02	1.28E+02
		Mean	2s	Mean	2s	Mean	2s
		2.28E+01	2.02E+02	-7.43E+00	7.05E+01	-3.27E+00	1.55E+02




Figure A1. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station A Samples During 2001

Table A2. ^{137}Cs and ^{90}Sr Measurements in Station A Samples During 2001

SAMPLE DATE	SAMPLE VOLUME (m ³)	^{137}Cs CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	^{90}Sr CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
1ST 2001	6003	2.12E+03	1.57E+04	2.60E+03	6.21E+03
2ND 2001	6655	4.70E+03	1.40E+04	7.83E+02	6.02E+03
3RD 2001	6642	-6.10E+03	1.19E+04	1.39E+03	5.99E+03
4TH 2001	7268	1.72E+03	1.18E+04	-6.61E+02	6.24E+03
		Mean	2s	Mean	2s
		6.09E+02	9.33E+03	1.03E+03	2.71E+03




Figure A2. ^{137}Cs and ^{90}Sr Measurements in Station A Samples During 2001

Table A3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station B Samples During 2001

SAMPLE DATE	SAMPLE VOLUME (m ³)	^{241}Am CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	$^{239/240}\text{Pu}$ CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	^{238}Pu CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
1ST 2001	6384	1.10E+02	1.40E+02	2.99E+00	6.58E+01	-9.36E+00	6.51E+01
2ND 2001	7036	8.59E+01	1.27E+02	-2.97E+00	5.55E+01	1.06E+01	6.17E+01
3RD 2001	7160	7.92E+01	1.36E+02	-2.16E+01	4.95E+01	-2.20E+01	6.20E+01
4TH 2001	7087	-6.87E+01	1.18E+02	-2.30E+01	6.96E+01	-1.86E+01	7.89E+01
		Mean	2s	Mean	2s	Mean	2s
		5.15E+01	1.62E+02	-1.12E+01	2.63E+01	-9.84E+00	2.93E+01




Figure A3. ^{241}Am , $^{239/240}\text{Pu}$, and ^{238}Pu Measurements in Station B Samples During 2001

Table A4. ^{137}Cs and ^{90}Sr Measurements in Station B Samples During 2001

SAMPLE DATE	SAMPLE VOLUME (m ³)	^{137}Cs CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)	^{90}Sr CALCULATED CONC. (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
1ST 2001	6384	-4.31E+03	2.28E+04	5.31E+03	6.61E+03
2ND 2001	7036	-2.36E+03	2.08E+04	-1.69E+02	5.80E+03
3RD 2001	7160	3.96E+03	2.10E+04	-3.90E+02	5.69E+03
4TH 2001	7087	1.26E+03	1.80E+04	-2.31E+02	6.34E+03
		Mean	2s	Mean	2s
		-3.63E+02	7.38E+03	1.13E+03	5.58E+03




Figure A4. ^{137}Cs and ^{90}Sr Measurements in Station B Samples During 2001

Table A5. ²⁴¹Am Measurements in LVAS Samples During 2001

LVAS SAMPLE LOCATION	QUARTER SAMPLE COLLECTED	SAMPLE VOLUME (m ³)	CALCULATED CONCENTRATION (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
ARTESIA	1ST 2001	27852	-2.09E+00	3.14E+01
CARLSBAD	1ST 2001	31096	8.67E+00	2.88E+01
LOVING	1ST 2001	29721	1.84E+02	5.65E+01
WIPP 1	1ST 2001	31388	-9.80E+00	2.79E+01
WIPP 2	1ST 2001	29575	-2.67E+00	2.92E+01
WIPP 3	1ST 2001	30102	1.22E+01	2.57E+01
ARTESIA	2ND 2001	25813	-6.33E+00	3.27E+01
CARLSBAD	2ND 2001	27772	7.51E+00	3.16E+01
LOVING	2ND 2001	28237	-3.55E+00	2.65E+01
WIPP 1	2ND 2001	29188	9.32E-01	2.57E+01
WIPP 2	2ND 2001	26736	-3.40E+00	3.09E+01
WIPP 3	2ND 2001	27163	1.68E+02	4.78E+01
WIPP 3 QA	2ND 2001	25102	8.62E+00	3.41E+01
ARTESIA	3RD 2001	25365	8.65E+00	3.46E+01
CARLSBAD	3RD 2001	29101	1.59E+01	3.16E+01
LOVING	3RD 2001	28917	1.81E+01	3.19E+01
WIPP 1	3RD 2001	11796	NA	NA
WIPP 2	3RD 2001	26311	5.04E+00	3.24E+01
WIPP 3	3RD 2001	26458	1.02E+01	3.29E+01
ARTESIA	4TH 2001	27853	-2.18E+01	4.73E+01
CARLSBAD	4TH 2001	33984	5.07E+01	3.37E+01
LOVING	4TH 2001	34715	-7.99E+00	2.56E+01
WIPP 1	4TH 2001	33581	9.34E+00	2.72E+01
WIPP 2	4TH 2001	29626	2.11E+00	3.00E+01
WIPP 3	4TH 2001	30066	-2.85E+00	2.96E+01
			Mean	2s
			1.87E+01	1.00E+02




Figure A5. ²⁴¹Am Measurements in LVAS Samples During 2001

Table A6. ^{239/240}Pu Measurements in LVAS Samples During 2001

LVAS SAMPLE LOCATION	QUARTER SAMPLE COLLECTED	SAMPLE VOLUME (m ³)	CALCULATED CONCENTRATION (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
ARTESIA	1ST 2001	27852	2.63E+01	2.10E+01
CARLSBAD	1ST 2001	31096	6.19E+00	1.40E+01
LOVING	1ST 2001	29721	-1.53E+00	1.42E+01
WIPP 1	1ST 2001	31388	1.95E+01	2.88E+01
WIPP 2	1ST 2001	29575	7.59E+00	1.81E+01
WIPP 3	1ST 2001	30102	-1.45E+00	1.67E+01
ARTESIA	2ND 2001	25813	1.95E+01	2.02E+01
CARLSBAD	2ND 2001	27772	4.02E+01	2.17E+01
LOVING	2ND 2001	28237	2.61E+01	2.10E+01
WIPP 1	2ND 2001	29188	1.58E+01	1.82E+01
WIPP 2	2ND 2001	26736	2.35E+01	1.98E+01
WIPP 3	2ND 2001	27163	4.37E+01	2.65E+01
WIPP 3 QA	2ND 2001	25102	4.01E+01	2.50E+01
ARTESIA	3RD 2001	25365	5.19E+00	1.72E+01
CARLSBAD	3RD 2001	29101	1.18E+01	1.58E+01
LOVING	3RD 2001	28917	7.70E+00	1.67E+01
WIPP 1	3RD 2001	11796	NA	NA
WIPP 2	3RD 2001	26311	1.53E+01	1.97E+01
WIPP 3	3RD 2001	26458	1.99E+01	1.87E+01
ARTESIA	4TH 2001	27853	-7.84E+00	2.25E+01
CARLSBAD	4TH 2001	33984	3.26E+01	1.85E+01
LOVING	4TH 2001	34715	9.67E+00	1.38E+01
WIPP 1	4TH 2001	33581	6.99E+00	1.46E+01
WIPP 2	4TH 2001	29626	1.18E+01	1.99E+01
WIPP 3	4TH 2001	30066	1.44E+01	1.94E+01
			Mean	2s
			1.64E+01	2.70E+01




Figure A6. ^{239/240}Pu Measurements in LVAS Samples During 2001

Table A7. ²³⁸Pu Measurements in LVAS Samples During 2001

LVAS SAMPLE LOCATION	QUARTER SAMPLE COLLECTED	SAMPLE VOLUME (m ³)	CALCULATED CONCENTRATION (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
ARTESIA	1ST 2001	27852	9.33E+00	1.90E+01
CARLSBAD	1ST 2001	31096	1.23E+01	1.75E+01
LOVING	1ST 2001	29721	7.84E+00	2.01E+01
WIPP 1	1ST 2001	31388	-2.04E+01	2.59E+01
WIPP 2	1ST 2001	29575	1.03E+01	2.00E+01
WIPP 3	1ST 2001	30102	2.38E+01	3.05E+01
ARTESIA	2ND 2001	25813	3.42E+01	2.44E+01
CARLSBAD	2ND 2001	27772	4.31E+01	2.35E+01
LOVING	2ND 2001	28237	7.82E+00	1.97E+01
WIPP 1	2ND 2001	29188	-1.92E-02	1.80E+01
WIPP 2	2ND 2001	26736	1.28E+01	1.96E+01
WIPP 3	2ND 2001	27163	3.56E+01	2.76E+01
WIPP 3 QA	2ND 2001	25102	4.60E+01	2.84E+01
ARTESIA	3RD 2001	25365	9.83E-01	1.84E+01
CARLSBAD	3RD 2001	29101	8.86E+00	1.76E+01
LOVING	3RD 2001	28917	-3.95E+00	1.78E+01
WIPP 1	3RD 2001	11796	NA	NA
WIPP 2	3RD 2001	26311	-2.69E+00	1.74E+01
WIPP 3	3RD 2001	26458	3.06E+00	1.81E+01
ARTESIA	4TH 2001	27853	3.40E+01	4.79E+01
CARLSBAD	4TH 2001	33984	9.80E+00	1.57E+01
LOVING	4TH 2001	34715	3.11E+00	1.44E+01
WIPP 1	4TH 2001	33581	1.61E+00	1.65E+01
WIPP 2	4TH 2001	29626	8.52E-01	2.26E+01
WIPP 3	4TH 2001	30066	-2.53E+00	1.60E+01
			Mean	2s
			1.15E+01	3.29E+01




Figure A7. ²³⁸Pu Measurements in LVAS Samples During 2001

Table A8. ¹³⁷Cs Measurements in LVAS Samples During 2001

LVAS SAMPLE LOCATION	QUARTER SAMPLE COLLECTED	SAMPLE VOLUME. (m ³)	CALCULATED CONCENTRATION (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
ARTESIA	1ST 2001	27852	1.67E+03	4.91E+03
CARLSBAD	1ST 2001	31096	6.58E+02	4.30E+03
LOVING	1ST 2001	29721	-1.46E+03	4.64E+03
WIPP 1	1ST 2001	31388	NA	NA
WIPP 2	1ST 2001	29575	NA	NA
WIPP 3	1ST 2001	30102	1.37E+03	4.65E+03
ARTESIA	2ND 2001	25813	NA	NA
CARLSBAD	2ND 2001	27772	NA	NA
LOVING	2ND 2001	28237	NA	NA
WIPP 1	2ND 2001	29188	NA	NA
WIPP 2	2ND 2001	26736	NA	NA
WIPP 3	2ND 2001	27163	NA	NA
ARTESIA	3RD 2001	25365	3.39E+02	4.57E+03
CARLSBAD	3RD 2001	29101	2.06E+03	3.87E+03
LOVING	3RD 2001	28917	1.22E+03	3.99E+03
WIPP 1	3RD 2001	11796	NA	NA
WIPP 2	3RD 2001	26311	1.06E+02	4.48E+03
WIPP 3	3RD 2001	26458	1.56E+03	4.47E+03
ARTESIA	4TH 2001	27853	3.99E+02	3.63E+03
CARLSBAD	4TH 2001	33984	1.90E+03	2.88E+03
LOVING	4TH 2001	34715	1.03E+03	2.90E+03
WIPP 1	4TH 2001	33581	8.77E+02	2.78E+03
WIPP 2	4TH 2001	29626	-2.91E+02	3.43E+03
WIPP 3	4TH 2001	30066	1.72E+03	3.29E+03
			Mean	2s
			8.78E+02	1.90E+03




Figure A8. ¹³⁷Cs Measurements in LVAS Samples During 2001

Table A9. ⁹⁰Sr Measurements in LVAS Samples During 2001

LVAS SAMPLE LOCATION	QUARTER SAMPLE COLLECTED	SAMPLE VOLUME (m ³)	CALCULATED CONCENTRATION (nBq/m ³)	EXPANDED UNCERT. (k=2) (nBq/m ³)
ARTESIA	1ST 2001	27852	8.55E+02	1.38E+03
CARLSBAD	1ST 2001	31096	7.07E+02	1.25E+03
LOVING	1ST 2001	29721	1.03E+03	1.30E+03
WIPP 1	1ST 2001	31388	1.27E+03	1.23E+03
WIPP 2	1ST 2001	29575	6.79E+02	1.30E+03
WIPP 3	1ST 2001	30102	9.62E+02	1.28E+03
ARTESIA	2ND 2001	25813	-4.35E+02	1.81E+03
CARLSBAD	2ND 2001	27772	9.69E+02	1.43E+03
LOVING	2ND 2001	28237	7.22E+02	1.55E+03
WIPP 1	2ND 2001	29188	6.19E+02	1.43E+03
WIPP 2	2ND 2001	26736	1.58E+03	1.49E+03
WIPP 3	2ND 2001	27163	8.82E+02	1.51E+03
ARTESIA	3RD 2001	25365	1.29E+03	1.72E+03
CARLSBAD	3RD 2001	29101	1.25E+03	1.37E+03
LOVING	3RD 2001	28917	1.92E+03	1.35E+03
WIPP 1	3RD 2001	11796	NA	NA
WIPP 2	3RD 2001	26311	6.91E+02	1.55E+03
WIPP 3	3RD 2001	26458	9.67E+02	1.52E+03
ARTESIA	4TH 2001	27853	NA	NA
CARLSBAD	4TH 2001	33984	2.19E+03	1.35E+03
LOVING	4TH 2001	34715	1.88E+03	1.32E+03
WIPP 1	4TH 2001	33581	1.22E+03	1.33E+03
WIPP 2	4TH 2001	29626	1.40E+03	1.49E+03
WIPP 3	4TH 2001	30066	1.88E+03	1.53E+03
			Mean	2s
			1.12E+03	1.14E+03




Figure A9. ⁹⁰Sr Measurements in LVAS Samples During 2001

APPENDIX B. WATER SAMPLE DATA

Table B1. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Groundwater During 2001

WATER WELL IDENTIFICATION	²⁴¹ Am CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	^{239/240} Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	²³⁸ Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
WQSP-1	-0.32	0.85	-0.21	0.56	1.53	0.95
WQSP-2	-0.19	0.49	0.17	0.68	-0.27	0.50
WQSP-3	NA	NA	0.36	0.80	0.12	0.44
WQSP-4	-0.74	0.79	-0.18	0.53	0.30	0.48
WQSP-5	0.84	0.69	-0.18	0.50	0.26	0.35
WQSP-6	NA	NA	-0.05	0.53	0.26	0.46
WQSP-6A	0.26	0.55	-0.14	0.55	-0.03	0.50
	Mean	2s	Mean	2s	Mean	2s
	-0.03	1.21	-0.03	0.43	0.31	1.15




Figure B1. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Groundwater During 2001

Table B2. ¹³⁷Cs and ⁹⁰Sr Measurements in Groundwater During 2001

WATER WELL IDENTIFICATION	¹³⁷ Cs		⁹⁰ Sr	
	CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
WQSP-1	10.58	142.24	NA	NA
WQSP-2	NA	NA	NA	NA
WQSP-3	-17.64	143.64	32.85	37.44
WQSP-4	37.04	144.41	41.92	64.38
WQSP-5	46.21	138.50	15.85	47.27
WQSP-6	-1.76	137.67	9.58	32.95
WQSP-6A	-19.05	133.62	NA	NA
	Mean	2s	Mean	2s
	9.23	55.03	25.05	29.87




Figure B2. ¹³⁷Cs and ⁹⁰Sr Measurements in Groundwater During 2001

Table B3. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Surface Water During 2001

SAMPLE SITE	²⁴¹ Am CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	^{239/240} Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) mBq/l)	²³⁸ Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
Pecos @ Carlsbad	-0.26	0.49	-0.05	0.53	-0.14	0.34
Pecos @ Pierce	-0.38	0.50	0.16	0.60	0.22	0.43
WIPP Stormwater	-0.20	0.49	-0.24	0.49	0.39	0.41
	Mean	2s	Mean	2s	Mean	2s
	-0.28	0.18	-0.04	0.40	0.16	0.55




Figure B3. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Surface Water During 2001

Table B4. ¹³⁷Cs and ⁹⁰Sr Measurements in Surface Water During 2001

SAMPLE SITE	¹³⁷ Cs CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	⁹⁰ Sr CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
Pecos @ Carlsbad	9.88	117.90	17.86	22.12
Pecos @ Pierce	-8.11	120.65	11.24	23.62
WIPP Stormwater	NA	NA	NA	NA
	Mean	2s	Mean	2s
	0.88	25.44	14.55	9.36




Figure B4. ¹³⁷Cs and ⁹⁰Sr Measurements in Surface Water During 2001

Table B5. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Drinking Water During 2001

PUBLIC WATER SUPPLY SYSTEM	²⁴¹ Am CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	^{239/240} Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)	²³⁸ Pu CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
Carlsbad	0.37	0.57	0.07	0.66	0.65	0.62
Loving	0.09	0.52	-0.17	0.50	0.37	0.48
Otis	0.91	0.70	0.01	0.56	0.34	0.45
WIPP	-0.16	0.72	-0.09	0.50	0.10	0.28
	Mean	2s	Mean	2s	Mean	2s
	0.30	0.93	-0.05	0.21	0.37	0.45




Figure B5. ²⁴¹Am, ^{239/240}Pu, and ²³⁸Pu Measurements in Drinking Water During 2001

Table B6. ¹³⁷Cs and ⁹⁰Sr Measurements in Drinking Water During 2001

PUBLIC WATER SUPPLY SYSTEM	CS-137 CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) mBq/l)	SR-90 CALCULATED CONCENTRATION (mBq/l)	EXPANDED UNCERT. (k=2) (mBq/l)
Carlsbad	29.98	135.66	NA	NA
Loving	NA	NA	-3.85	15.35
Otis	NA	NA	-6.95	16.10
WIPP	-11.29	120.45	16.18	21.93
	Mean	2s	Mean	2s
	9.35	58.36	1.79	25.11




Figure B6. ¹³⁷Cs and ⁹⁰Sr Measurements in Drinking Water During 2001

APPENDIX C. MATRIX BLANK DATA

Table C1. Matrix Blank Results for the 2001 Sampling Period

Matrix Blank ID	²⁴¹ Am	^{239/240} Pu	²³⁸ Pu	¹³⁷ Cs	⁹⁰ Sr
FAS (Effluent)	Bq/composite	Bq/composite	Bq/composite	Bq/composite	Bq/composite
FMB-010503	-1.53E-04	2.50E-04	1.22E-04	3.92E-02	3.81E-03
FMB-010731	8.59E-04	4.55E-04	3.85E-04	-2.22E-02	-1.70E-02
FMB-020204	4.13E-04	3.16E-05	-1.35E-05	9.17E-03	-1.37E-02
FMB-020523	2.84E-04	2.27E-04	-9.97E-05	3.88E-02	-4.76E-02
Unassigned	NA	NA	NA	-1.28E-02	NA
Unassigned	NA	NA	NA	4.94E-02	NA
Mean	3.51E-04	2.41E-04	9.85E-05	1.69E-02	-1.86E-02
2s	7.21E-04	3.00E-04	3.67E-04	5.48E-02	3.70E-02
LVAS (Ambient)	Bq/composite	Bq/composite	Bq/composite	Bq/composite	Bq/composite
LMB-010913	3.39E-04	2.48E-04	-7.94E-05	-2.78E-04	-1.15E-02
LMB-011210	4.06E-05	-5.16E-05	-5.73E-05	5.88E-03	7.25E-03
LMB-020222	-2.85E-04	1.96E-04	1.44E-04	2.56E-02	-4.85E-03
LMB-020606	2.30E-04	5.77E-05	1.57E-04	8.33E-03	-4.23E-02
LMB-020613	-9.71E-05	2.17E-04	1.06E-04	9.03E-02	-3.75E-02
Mean	4.55E-05	1.33E-04	5.41E-05	2.60E-02	-1.78E-02
2s	7.48E-04	3.46E-04	4.26E-04	6.66E-02	3.82E-02
Water	Bq/L	Bq/L	Bq/L	Bq/L	Bq/L
WMB-010529	NA	7.10E-04	-2.33E-04	4.30E-02	-2.55E-02
WMB-010910	2.53E-04	1.41E-04	-2.01E-04	NA	NA
WMB-010628	6.21E-04	2.25E-04	1.07E-04	7.05E-04	-1.85E-02
WMB-020107	8.49E-05	1.07E-04	-9.73E-05	3.39E-02	-1.17E-02
WMB-011105	NA	1.07E-04	-2.55E-04	NA	-1.61E-02
WMB-011004	-1.71E-05	1.34E-05	-2.67E-04	NA	NA
Mean	2.35E-04	2.17E-04	-1.58E-04	2.59E-02	-1.80E-02
2s	4.85E-04	4.58E-04	2.62E-04	3.64E-02	9.99E-03

APPENDIX D. EEG TLD PROGRAM DESCRIPTION AND 2001 DATA

TLD PROGRAM DESCRIPTION

The regulatory limit for external radiation to a member of the public outside the exclusive use boundary is 25 mrem per year (40 CFR 191, Subpart A). The EEG's thermoluminescent dosimeter (TLD) measurement program is to verify compliance with this limit.

The EEG has placed environmental TLDs at locations within and at the exclusive use boundary since October 1997. Each TLD contains five lithium fluoride chips. Currently, five TLDs are located at five different locations at the exclusive use area boundary (as defined by EPA) and three TLDs are located within the exclusive use area along the railroad fence south of the Waste Handling Building (WHB) and the parking area where loaded TRUPACT-IIs are kept until they are moved into the WHB. One "control" TLD is kept at a protected location at the EEG office in Carlsbad. All nine TLDs are collected quarterly and returned to a commercial vendor for processing. The current locations of the TLD badges are shown in Figure D1.

Doses reported by the vendor include background radiation from terrestrial, radon, and cosmic sources. Any increased dose due to WIPP operations would also be included in the total dose reported. The net dose due to WIPP operations could then be determined by subtractions of an "appropriate" background value and with consideration of measurement uncertainty.

Possible Sources of Direct Radiation

The most likely source of direct radiation from WIPP operations is due to direct radiation from TRUPACT-II waste shipments as they approach the protected area, are checked at the entrance gate, and are detained on their transport trailers in the restricted parking area immediately south of the WHB. TRUPACT-IIs are often detained in the parking lot for 24-36 hours before being taken into the WHB. Doses from this source would be expected to vary from quarter to quarter depending on external doses from TRUPACT-IIs and cumulative residence times in the parking lot. Other sources of direct radiation from WIPP operations at exclusive use boundaries are much less likely. These include external doses from contamination or from releases from the exhaust shaft.

TLD #4 is located at the closest point on the exclusive use boundary from the restricted parking lot (about 230 meters). However, the three TLDs (#1, #2 and #5) located along the railroad fence are only 60-80 meters from the parking lot and should be the most likely TLDs to indicate the presence of radiation from WIPP operations.

Statistical Treatment of TLD Data

The four quarterly doses reported for a calendar year for the control TLDs are averaged and their standard deviation determined from the values of each of the five chips in a TLD badge (a total of 20 chips for the year). The standard deviation is determined from the expression (Rodgers 1998):

$$\sigma = \sqrt{\frac{\sum(x_i - \bar{x})^2}{n-1}}$$

where x_i is the value of each chip

\bar{x} is the mean of all chips

n is the number of chips

EEG has also determined the mean and standard deviation for the group of TLD badges placed about the WIPP Site each year (exclusive of the control TLD). This has been done because of the belief that before the arrival of wastes that values determined from the set of TLDs about the site would be a more appropriate preoperational background.

The lower limit of detection (LLD) of any dose received from WIPP operations is determined assuming a normal distribution by the following expression (Rodgers 1998):

$$LLD = 3.29 \sigma \sqrt{1 + \frac{1}{n}}$$

2001 TLD DATA

The reported value and uncertainty for each control and environmentally deployed TLD in calendar year 2001 is shown in Table D1. The doses are gross values (i.e., the value of the control TLDs have not been subtracted and include the doses from terrestrial, radon, and cosmic source along with any possible does from WIPP operations).

Table D1. Quarterly Gross TLD Doses in 2001 (Millirem per Quarter)

TLD Badge Location(a)	1 st Quarter		2 nd Quarter		3 rd Quarter		4 th Quarter	
	Dose	Uncert. (2 σ)						
1	23.6	1.0	19.8	3.0	19.2	5.6	16.6	3.3
2	24.2	4.4	19.6	1.8	18.0	1.4	16.6	2.2
3	24.2	2.6	19.4	3.2	19.4	3.2	16.2	2.6
4	24.25	2.0	19.6	2.2	19.2	3.6	16.6	3.9
5	27.0	8.2	19.0	2.0	20.4	5.0	17.6	5.0
6	24.0	3.2	23.0	4.9	18.6	4.4	17.4	3.8
7	24.6	2.2	22.0	4.6	18.4	4.2	17.0	4.0
8	24.2	2.2	21.0	3.5	19.6	6.3	18.4	2.2
Control	22.6	1.8	19.6	1.1	19.4	5.2	16.6	6.1

(a) See Figure D1 for badge location

Lower Limit of Detection (LLD)

The average of the four control badges was 19.55 mrem/quarter and the standard deviation (1σ) was 2.89 mrem/quarter. Thus, the LLD is 9.75 mrem/quarter (rounded to 9.8 mrem/quarter).

The average and standard deviation of the 8 TLDs at the WIPP Site was 20.27 ± 2.24 mrem/quarter.

None of the TLDs in 2001 approached the LLD (which would have been a gross value of 29.3 mrem/quarter).



Figure D1. TLD Locations and Numbers

APPENDIX E. SAMPLE COLLECTION LOCATIONS

SAMPLE COLLECTION LOCATIONS

Detailed descriptions of the sampling locations are found in the preoperational reports, but are summarized in this Appendix.

Fixed Air Samplers (Effluent)

Three fixed air samplers are currently operating in the WIPP air effluent stream. These are Station A, located at the top of the air exhaust shaft and sampling the unfiltered exhaust, and Station B, located downstream of the HEPA filtration building, through which underground exhaust air can be diverted, if necessary. The third location is called Station D and is located underground, near the base of the exhaust shaft.

Low-Volume Air Samplers (Ambient)

Three low-volume air samplers are located on or close to the site, as listed below:

1. Approximately 225 meters northwest of the exhaust shaft (S1).
2. Approximately 500 meters northeast of the exhaust shaft (S2).
3. Approximately 1000 meters northwest of the exhaust shaft (S3).

Three additional low-volume air samplers are located in Artesia, Carlsbad, and Loving - the three population centers closest to the WIPP site and located on the main WIPP transportation routes.

Surface Water and Drinking Water

Surface water samples were collected at eight locations, shown in Figure E2. Surface water samples were collected only from the Pecos River at Carlsbad, the Pecos River at Pierce Canyon and WIPP stormwater runoff in 2001. Drinking water samples were collected from the public water supply systems at the WIPP site and the communities of Carlsbad, Loving, and Otis. Otis does not appear in the figure. Otis is a small community on the south edge of Carlsbad.




Figure E2. Surface Water Sampling Locations

Appendix F: MDA, MDC, Action Level

MDA, MDC, Action Level

Table F1, below, lists the current Minimum Detectable Concentrations (MDC), Minimum Detectable Activities (MDA), and Action Levels (ACTL) for the radionuclides of interest in the environmental matrices of the EEG radiation surveillance program.

Table F1. Current Minimum Detectable Concentrations, Minimum Detectable Activities, and Action Levels

Radionuclide	No. of Blanks	MDC Value	MDC Unit	MDA (mBq/sample)	Action Level* (mBq/sample)
Fixed Air Samples (Stations A and B)					
²⁴¹ Am	22	280	nBq m ⁻³	2.0	1.5
^{239,240} Pu	24	190	nBq m ⁻³	1.4	1.6
²³⁸ Pu	25	210	nBq m ⁻³	1.5	0.8
¹³⁷ Cs	25	22	μBq m ⁻³	160	62
⁹⁰ Sr	11	13	μBq m ⁻³	94	48
Low Volume Air Samples					
²⁴¹ Am	28	92	nBq m ⁻³	2.3	3.4
^{239,240} Pu	27	40	nBq m ⁻³	1.0	2.0
²³⁸ Pu	29	100	nBq m ⁻³	2.6	1.7
¹³⁷ Cs	29	6.0	μBq m ⁻³	150	64
⁹⁰ Sr	19	3.2	μBq m ⁻³	80	89
Water Samples					
²⁴¹ Am	34	2.6	mBq L ⁻¹	2.6	2.0
^{239,240} Pu	39	1.6	mBq L ⁻¹	1.6	1.0
²³⁸ Pu	38	1.8	mBq L ⁻¹	1.8	1.2
¹³⁷ Cs	32	240	mBq L ⁻¹	240	100
⁹⁰ Sr	16	61	mBq L ⁻¹	61	42

* Estimated for 7,200 m³ sample (FAS) or 25,000 m³ sample (LVAS)

The data in Table F-1 indicates that, in many cases, the action level is lower than the MDA. This happens because the populations of results from both the preoperational baseline and the blanks have very similar statistics; that is, the differences between them are generally small. In the definitions, which the EEG has adopted, a coverage factor of 4.65 is applied to the population standard deviation for the MDA, while the coverage factor for the action level is only 2.

This approach is widely used for normally-distributed data. In many cases the EEG's results are not normally distributed. An effort is underway to apply nonparametric methods to the environmental and blank data. The results of this effort will be published in a future report.

The values in Table F1 were derived using the following formulas:

MDA: $4.65 s_b$ where s_b is the standard deviation of the mean of the appropriate blank population for all blanks.

MDC: $(MDA * F)/V$ where F is a factor to convert mBq to nBq (10^6) or to : Bq (10^3), as appropriate, and V is the volume specified in the footnote to the table.

ACTL: $m_{base} + 2 s_{base}$ where m_{base} is the mean of the appropriate preoperational baseline measurements and s_{base} is the standard deviation of the mean.

LIST OF EEG REPORTS

LIST OF EEG REPORTS

- EEG-1 Goad, Donna, A Compilation of Site Selection Criteria Considerations and Concerns Appearing in the Literature on the Deep Disposal of Radioactive Wastes, June 1979.
- EEG-2 Review Comments on Geological Characterization Report, Waste Isolation Pilot Plant (WIPP) Site, Southeastern New Mexico SAND 78-1596, Volume I and II, December 1978.
- EEG-3 Neill, Robert H., et al., (eds.) Radiological Health Review of the Draft Environmental Impact Statement (DOE/EIS-0026-D) Waste Isolation Pilot Plant, U.S. Department of Energy, August 1979.
- EEG-4 Little, Marshall S., Review Comments on the Report of the Steering Committee on Waste Acceptance Criteria for the Waste Isolation Pilot Plant, February 1980.
- EEG-5 Channell, James K., Calculated Radiation Doses From Deposition of Material Released in Hypothetical Transportation Accidents Involving WIPP-Related Radioactive Wastes, October 1980.
- EEG-6 Geotechnical Considerations for Radiological Hazard Assessment of WIPP. A Report of a Meeting Held on January 17-18, 1980, April 1980.
- EEG-7 Chaturvedi, Lokesh, WIPP Site and Vicinity Geological Field Trip. A Report of a Field Trip to the Proposed Waste Isolation Pilot Plant Project in Southeastern New Mexico, June 16 to 18, 1980, October 1980.
- EEG-8 Wofsy, Carla, The Significance of Certain Rustler Aquifer Parameters for Predicting Long-Term Radiation Doses from WIPP, September 1980.
- EEG-9 Spiegler, Peter, An Approach to Calculating Upper Bounds on Maximum Individual Doses From the Use of Contaminated Well Water Following a WIPP Repository Breach, September 1981.
- EEG-10 Radiological Health Review of the Final Environmental Impact Statement (DOE/EIS-0026) Waste Isolation Pilot Plant, U. S. Department of Energy, January 1981.
- EEG-11 Channell, James K., Calculated Radiation Doses From Radionuclides Brought to the Surface if Future Drilling Intercepts the WIPP Repository and Pressurized Brine, January 1982.
- EEG-12 Little, Marshall S., Potential Release Scenario and Radiological Consequence Evaluation of Mineral Resources at WIPP, May 1982.
- EEG-13 Spiegler, Peter, Analysis of the Potential Formation of a Breccia Chimney Beneath the WIPP Repository, May, 1982.
- EEG-14 Not published.
- EEG-15 Bard, Stephen T., Estimated Radiation Doses Resulting if an Exploratory Borehole Penetrates a Pressurized Brine Reservoir Assumed to Exist Below the WIPP Repository Horizon - A Single Hole Scenario, March 1982.
- EEG-16 Radionuclide Release. Transport and Consequence Modeling for WIPP. A Report of a Workshop Held on September 16-17, 1981, February 1982.

- EEG-17 Spiegel, Peter, Hydrologic Analyses of Two Brine Encounters in the Vicinity of the Waste Isolation Pilot Plant (WIPP) Site, December 1982.
- EEG-18 Spiegel, Peter and Dave Updegraff, Origin of the Brines Near WIPP from the Drill Holes ERDA-6 and WIPP-12 Based on Stable Isotope Concentration of Hydrogen and Oxygen, March 1983.
- EEG-19 Channell, James K., Review Comments on Environmental Analysis Cost Reduction Proposals (WIPP/DOE-136) July 1982, November 1982.
- EEG-20 Baca, Thomas E., An Evaluation of the Non-Radiological Environmental Problems Relating to the WIPP, February 1983.
- EEG-21 Faith, Stuart, et al., The Geochemistry of Two Pressurized Brines From the Castile Formation in the Vicinity of the Waste Isolation Pilot Plant (WIPP) Site, April 1983.
- EEG-22 EEG Review Comments on the Geotechnical Reports Provided by DOE to EEG Under the Stipulated Agreement Through March 1, 1983, April 1983.
- EEG-23 Neill, Robert H., et al., Evaluation of the Suitability of the WIPP Site, May 1983.
- EEG-24 Neill, Robert H. and James K. Channell, Potential Problems From Shipment of High-Curie Content Contact-Handled Transuranic (CH-TRU) Waste to WIPP, August 1983.
- EEG-25 Chaturvedi, Lokesh, Occurrence of Gases in the Salado Formation, March 1984.
- EEG-26 Spiegel, Peter, Proposed Preoperational Environmental Monitoring Program for WIPP, November 1984.
- EEG-27 Rehfeldt, Kenneth, Sensitivity Analysis of Solute Transport in Fractures and Determination of Anisotropy Within the Culebra Dolomite, September 1984.
- EEG-28 Knowles, H. B., Radiation Shielding in the Hot Cell Facility at the Waste Isolation Pilot Plant: A Review, November 1984.
- EEG-29 Little, Marshall S., Evaluation of the Safety Analysis Report for the Waste Isolation Pilot Plant Project, May 1985.
- EEG-30 Dougherty, Frank, Tenera Corporation, Evaluation of the Waste Isolation Pilot Plant Classification of Systems, Structures and Components, July 1985.
- EEG-31 Ramey, Dan, Chemistry of the Rustler Fluids, July 1985.
- EEG-32 Chaturvedi, Lokesh and James K. Channell, The Rustler Formation as a Transport Medium for Contaminated Groundwater, December 1985.
- EEG-33 Channell, James K., et al., Adequacy of TRUPACT-I Design for Transporting Contact-Handled Transuranic Wastes to WIPP, June 1986.
- EEG-34 Chaturvedi, Lokesh, (edi.), The Rustler Formation at the WIPP Site, February 1987.
- EEG-35 Chapman, Jenny B., Stable Isotopes in Southeastern New Mexico Groundwater: Implications for Dating Recharge in the WIPP Area, October 1986.
- EEG-36 Lowenstein, Tim K., Post Burial Alteration of the Permian Rustler Formation Evaporites, WIPP Site, New Mexico, April 1987.

- EEG-37 Rodgers, John C., Exhaust Stack Monitoring Issues at the Waste Isolation Pilot Plant, November 1987.
- EEG-38 Rodgers, John C. and Jim W. Kenney, A Critical Assessment of Continuous Air Monitoring Systems at the Waste Isolation Pilot Plant, March 1988.
- EEG-39 Chapman, Jenny B., Chemical and Radiochemical Characteristics of Groundwater in the Culebra Dolomite, Southeastern New Mexico, March 1988.
- EEG-40 Review of the Final Safety Analyses Report (Draft), DOE Waste Isolation Pilot Plant, December 1988, May 1989.
- EEG-41 Review of the Draft Supplement Environmental Impact Statement, DOE Waste Isolation Pilot Plant, July 1989.
- EEG-42 Chaturvedi, Lokesh, Evaluation of the DOE Plans for Radioactive Experiments and Operational Demonstration at WIPP, September 1989.
- EEG-43 Kenney, Jim W., et al., Preoperational Radiation Surveillance of the WIPP Project by EEG 1985-1988, January 1990.
- EEG-44 Greenfield, Moses A., Probabilities of a Catastrophic Waste Hoist Accident at the Waste Isolation Pilot Plant, January 1990.
- EEG-45 Silva, Matthew K., Preliminary Investigation into the Explosion Potential of Volatile Organic Compounds in WIPP CH-TRU Waste, June 1990.
- EEG-46 Gallegos, Anthony F. and James K. Channell, Risk Analysis of the Transport of Contact Handled Transuranic (CH-TRU) Wastes to WIPP Along Selected Highway Routes in New Mexico Using RADTRAN IV, August 1990.
- EEG-47 Kenney, Jim W. and Sally C. Ballard, Preoperational Radiation Surveillance of the WIPP Project by EEG During 1989, December 1990.
- EEG-48 Silva, Matthew, An Assessment of the Flammability and Explosion Potential of Transuranic Waste, June 1991.
- EEG-49 Kenney, Jim, Preoperational Radiation Surveillance of the WIPP Project by EEG During 1990, November 1991.
- EEG-50 Silva, Matthew K. and James K. Channell, Implications of Oil and Gas Leases at the WIPP on Compliance with EPA TRU Waste Disposal Standards, June 1992.
- EEG-51 Kenney, Jim W., Preoperational Radiation Surveillance of the WIPP Project by EEG During 1991, October 1992.
- EEG-52 Bartlett, William T., An Evaluation of Air Effluent and Workplace Radioactivity Monitoring at the Waste Isolation Pilot Plant, February 1993.
- EEG-53 Greenfield, Moses A. and Thomas J. Sargent, A Probabilistic Analysis of a Catastrophic Transuranic Waste Hoist Accident at the WIPP, June 1993.
- EEG-54 Kenney, Jim W., Preoperational Radiation Surveillance of the WIPP Project by EEG During 1992, February 1994.

- EEG-55 Silva, Matthew K., Implications of the Presence of Petroleum Resources on the Integrity of the WIPP, June 1994.
- EEG-56 Silva, Matthew K. and Robert H. Neill, Unresolved Issues for the Disposal of Remote-Handled Transuranic Waste in the Waste Isolation Pilot Plant, September 1994.
- EEG-57 Lee, William W.-L, Lokesh Chaturvedi, Matthew K. Silva, Ruth Weiner, and Robert H. Neill, An Appraisal of the 1992 Preliminary Performance Assessment for the Waste Isolation Pilot Plant, September 1994.
- EEG-58 Kenney, Jim W., Paula S. Downes, Donald H. Gray, Sally C. Ballard, Radionuclide Baseline in Soil Near Project Gnome and the Waste Isolation Pilot Plant, June 1995.
- EEG-59 Greenfield, Moses A. and Thomas J. Sargent, An Analysis of the Annual Probability of Failure of the Waste Hoist Brake System at the Waste Isolation Pilot Plant (WIPP), November 1995.
- EEG-60 Bartlett, William T. and Ben A. Walker, The Influence of Salt Aerosol on Alpha Radiation Detection by WIPP Continuous Air Monitors, January 1996.
- EEG-61 Neill, Robert, Lokesh Chaturvedi, William W.-L. Lee, Thomas M. Clemo, Matthew K. Silva, Jim W. Kenney, William T. Bartlett, and Ben A. Walker, Review of the WIPP Draft Application to Show Compliance with EPA Transuranic Waste Disposal Standards, March 1996.
- EEG-62 Silva, Matthew K., Fluid Injection for Salt Water Disposal and Enhanced Oil Recovery as a Potential Problem for the WIPP: Proceedings of a June 1995 Workshop and Analysis, August 1996.
- EEG-63 Maleki, Hamid and Lokesh Chaturvedi, Stability Evaluation of the Panel 1 Rooms and the E140 Drift at WIPP, August 1996.
- EEG-64 Neill, Robert H., James K. Channell, Peter Spiegler, Lokesh Chaturvedi, Review of the Draft Supplement to the WIPP Environmental Impact Statement, DOE/EIS-0026-S-2, April 1997.
- EEG-65 Greenfield, Moses A. and Thomas J. Sargent, Probability of Failure of the Waste Hoist Brake System at the Waste Isolation Pilot Plant (WIPP), January 1998.
- EEG-66 Channell, James K. and Robert H. Neill, Individual Radiation Doses From Transuranic Waste Brought to the Surface by Human Intrusion at the WIPP, February 1998.
- EEG-67 Kenney, Jim W., Donald H. Gray, and Sally C. Ballard, Preoperational Radiation Surveillance of the WIPP Project by EEG During 1993 Through 1995, March 1998.
- EEG-68 Neill, Robert H., Lokesh Chaturvedi, Dale F. Rucker, Matthew K. Silva, Ben A. Walker, James K. Channell, Thomas M. Clemo, Evaluation of the WIPP Project's Compliance with the EPA Radiation Protection Standards for Disposal of Transuranic Waste, March 1998.
- EEG-69 Rucker, Dale, Sensitivity Analysis of Performance Parameters Used In Modeling the Waste Isolation Pilot Plant, April 1998.
- EEG-70 Bartlett, William T. and Jim W. Kenney, EEG Observations of the March 1998 WIPP Operational Readiness Review Audit, April 1998.
- EEG-71 Maleki, Hamid, Mine Stability Evaluation of Panel 1 During Waste Emplacement Operations at WIPP, July 1998.

- EEG-72 Channell, James K. and Robert H. Neill, A Comparison of the Risks From the Hazardous Waste and Radioactive Waste Portions of the WIPP Inventory, July 1999.
- EEG-73 Kenney, Jim W., Donald H. Gray, Sally C. Ballard, and Lokesh Chaturvedi, Preoperational Radiation Surveillance of the WIPP Project by EEG from 1996 - 1998, October 1999.
- EEG-74 Greenfield, Moses A. and Thomas J. Sargent, Probability of Failure of the TRUDOCK Crane System at the Waste Isolation Pilot Plant (WIPP), April 2000.
- EEG-75 Channell, James K. and Ben A. Walker, Evaluation of Risks and Waste Characterization Requirements for the Transuranic Waste Emplaced in WIPP During 1999, May 2000.
- EEG-76 Rucker, Dale F., Air Dispersion Modeling at the Waste Isolation Pilot Plant, August 2000.
- EEG-77 Oversby, Virginia M., Plutonium Chemistry Under Conditions Relevant for WIPP Performance Assess. Review of Experimental Results and Recommendations for Future Work, September 2000.
- EEG-78 Rucker, Dale F., Probabilistic Safety Assessment of Operational Accidents at the Waste Isolation Pilot Plant, September 2000.
- EEG-79 Gray, Donald H., Jim W. Kenney, Sally C. Ballard, Operational Radiation Surveillance of the WIPP Project by EEG During 1999, September 2000.
- EEG-80 Kenney, Jim W., Recommendations to Address Air Sampling Issues at WIPP, January 2001.
- EEG-81 Gray, Donald H. and Sally C. Ballard, EEG Operational Radiation Surveillance of the WIPP Project During 2000, October 2001.
- EEG-82 Allen, Lawrence E., Matthew K. Silva, James K. Channell, John F. Abel, Dudley R. Morgan, Evaluation of Proposed Panel Closure Modifications at WIPP, December 2001.
- EEG-83 Allen, Lawrence E., Matthew K. Silva, James K. Channell, Identification of Issues Relevant to the First Recertification of WIPP, September 2002.
- EEG-84 Gray, Donald H., Sally C. Ballard, James K. Channell, EEG Operational Radiation Surveillance of the WIPP Project During 2001, December 2002.